

Sample Date	Batch Date	Sample Time	Instantaneous Water Temperature (°F)	Water Velocity (ft/sec)	Instantaneous Turbidity (ntu)	Instantaneous Electrical Conductivity (µS)	Instantaneous Dissolved Oxygen (mg/L)
11/01/2022	11/01/2022	10:08 AM	56.6	2.8	2.03	220.0	9.39
11/02/2022	11/02/2022	08:30 AM	55.9	2.3	1.84	237.0	9.43
11/03/2022	11/03/2022	06:12 PM	55.2	2.9	1.43	231.0	9.72
11/04/2022	11/04/2022	08:16 AM			1.29		
11/07/2022	11/07/2022	08:39 AM	56.0	1.6	1.00	231.0	9.83
11/08/2022	11/08/2022	08:28 AM	55.0	2.8	3.09	222.0	9.21
11/08/2022	11/09/2022	08:30 AM	54.4	2.6	1.14	254.0	10.10
11/09/2022	11/09/2022	08:40 AM	53.9	1.7	1.57	242.0	9.71
11/10/2022	11/10/2022	08:30 AM	51.6	2.2	0.71	242.0	10.12
11/11/2022	11/11/2022	09:00 AM	50.8	1.0	0.90	247.0	10.36
11/14/2022	11/14/2022	08:19 AM	48.7	2.2	1.17	225.0	10.68
11/15/2022	11/15/2022	08:17 AM	49.2	1.2	2.23	335.0	10.61
11/16/2022	11/16/2022	08:15 AM	48.3	2.3	1.28	212.0	10.63
11/17/2022	11/17/2022	10:09 AM	11.1	2.7	1.87	214.0	48.80
11/18/2022	11/18/2022	09:00 AM	48.6	2.4	1.09	207.0	10.73
11/21/2022	11/21/2022	09:00 AM	47.7	2.7	1.23	233.0	11.59
11/22/2022	11/22/2022	09:12 AM	48.6	2.5	1.17	191.4	10.75
11/23/2022	11/23/2022	08:45 AM	47.5	2.7	1.52	201.0	11.25
11/24/2022	11/24/2022	07:35 AM	48.0	1.9	0.99	236.0	11.30
11/25/2022	11/25/2022	08:15 AM	48.4	2.1	0.98	234.0	11.51
11/28/2022	11/28/2022	10:15 AM	48.4	2.2	1.87	249.0	11.40
11/29/2022	11/29/2022	08:46 AM	46.8		2.10	258.0	11.30
11/29/2022	11/29/2022	09:02 AM					
11/30/2022	11/30/2022	05:00 PM	46.0	2.9	2.91	237.0	11.14