

Sample Date	Batch Date	Sample Time	Instantaneous Water Temperature (°F)	Weather	Stream Gauge (ft)	Water Velocity (ft/sec)	Instantaneous Turbidity (ntu)	Instantaneous Electrical Conductivity (µS)	Instantaneous Dissolved Oxygen (mg/L)
6/1/2024	6/1/2024	07:00 AM	58.1	Clear	1.40	3.6	3.10	153.1	9.06
6/3/2024		07:57 AM	59.5	Clear	1.32	2.4	1.54	164.2	8.94
6/4/2024	6/4/2024	08:20 AM	58.0	Clear	1.36	3.2	2.30	153.7	9.18
6/5/2024	6/5/2024	08:29 AM	59.8	Clear	1.45	2.8	1.22	152.2	9.16
6/6/2024	6/6/2024	08:25 AM	59.1	Clear	1.48	2.5	3.66	144.5	8.95
6/7/2024	6/7/2024	08:20 AM	58.5	Clear	1.43	2.9	2.01	143.5	9.14
6/10/2024		08:32 AM	57.7	Clear	1.45	2.8	2.45	158.2	9.37
6/11/2024	6/11/2024	08:15 AM	59.1	Clear	1.40	3.9	2.03	122.0	9.08
6/12/2024	6/12/2024	08:28 AM	59.8	Clear	1.42	3.9	2.97	122.8	8.92
6/13/2024	6/13/2024	08:20 AM	57.9	Clear	1.50	4.2	1.75	133.6	9.31
6/14/2024	6/14/2024	08:11 AM	57.4	Clear	1.50	3.9	1.79	139.7	9.38
6/17/2024		08:18 AM	57.2	Clear	1.42	3.7	2.58	152.6	9.35
6/18/2024	6/18/2024	08:30 AM	56.1	Clear	1.43	3.7	1.53	152.3	9.49
6/19/2024	6/19/2024	08:16 AM	56.3	Clear	1.41	3.7	2.65	143.3	9.89
6/20/2024	6/20/2024	08:20 AM	57.1	Clear	1.38	3.1	2.13	150.4	9.41
6/21/2024	6/21/2024	08:24 AM	56.9	Clear	1.39	4.3	1.54	150.4	9.40
6/24/2024		10:15 AM		Clear			2.17		
6/25/2024	6/25/2024	09:05 AM	58.4	Cloudy	1.43	3.9	2.39	149.9	9.35
6/26/2024	6/26/2024	09:19 AM	57.0	Clear	1.48	2.3	2.97	159.5	9.73
6/27/2024	6/27/2024	10:00 AM	56.6	Clear	1.50	2.8	3.51	144.2	10.08
6/28/2024	6/28/2024	08:31 AM	57.2	Clear	1.46	3.6	1.51	149.2	9.34